EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2663	(pixel$1 or stick or group)same(object or area or region)same(plurality or plural$1 or sets)same specific same(area or region)and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3)and(classification or classif$3 or classified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:21
L2	239	L1 and(pixel$1 or stick or group)same(plurality or plural$1 or sets)same (subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3) same(classification or classif$3 or classified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:23
L3	153	L2 and(@ad<"20030623" or @rlad<"20030623" or @prad<"20030623" or @ptad<"20030623")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:23
L4	110	L2 and @ad<"20030623"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:23
L5	0	L4 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3)same(pixel$1 or stick or group)and contains same two adj pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:29
L6	3	L4 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3)same(pixel$1 or stick or group)and contains and two adj pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:29

L7	3	L6 and @ad< "20030623"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:29
L8	3	L7 and(area or regions)and pixel$1 adj(classification or classif$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:31
L9	3	L8 and(detect$3 or determining)and(pixel$1 or stick or group)same(object or area or region or specific adj region)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:35
L10	0	L8 and(detect$3 or determining)same(pixel$1 or stick or group)same(object or area or region or specific adj region)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:35
L11	3	L9 and(classification or classif$3 or classified)and (object or area or region or specific adj region or sets) and(pixel$1 or stick or group)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:38
L12	0	L11 and characteriz$3 and(object or area or region or specific adj region)and comput$3 adj moments and weight$3 adj table and unrectified	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:42
L13	0	L4 and characteriz$3 and(object or area or region or specific adj region)and comput$3 adj moments and weight$3 adj table and unrectified	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:42

L14	1	L1 and characteriz$3 and(object or area or region or specific adj region)and comput$3 adj moments and weight$3 adj table and unrectified	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:43
L15	86310	(object or area or region)same(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3)and(classification or classif$3 or classified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:44
L16	2	characteriz$3 and(object or area or region or specific adj region)and(pixel$1 or group or sets or stick)and comput$3 adj moments and weight$3 adj table	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:48
L17	0	L16 and @ad< "20030623"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:48
L18	1	L16 and characteriz$3 and(object or area or region or specific adj region)and comput$3 adj moments and weight$3 adj table and unrectified	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:51
L19	0	L16 and(raster or line)and scanning and horizontal and vertical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:53
L20	2	L16 and luminance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:53

L21	2	L20 and(compar$5 or match$3 or combined)and (subareas or subdivision or sub adj division or segment $5 or split$4 or divid$3)same(area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:54
L22	2	L21 and chrominance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:55
L23	2	L22 and(pixel$1 or stick or group)and(raster adj line or scann$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:55
L24	0	L23 and identificat$3 adj(fiducials or marks or dots)and object adj extract$3 and locat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:56
L25	2	L23 and pose adj estimat$3 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3)same(area or regions)and identificat$3 and (fiducials or marks or dots)and(classification or classif $3)same pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:57
L26	2	L25 and SIMD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:57
L27	0	L26 and(@ad< "20030623" or @rlad< "20030623" or @prad< "20030623" or @ptad< "20030623")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:57

L28	0	L26 and @ad< "20030623"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 14:58
L29	4704	382/181,224,294,103,151,147,154,317.CCLS.	USPAT	OR	ON	2008/11/04 15:02
L30	1114	L29 and(pixel$1 or stick or group)and(plurality or plural$1 or sets)and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3) and(classification or classif$3 or classified)	USPAT	OR	ON	2008/11/04 15:04
L31	108	L30 and(area or regions)and pixel$1 adj(classification or classif$3)	USPAT	OR	ON	2008/11/04 15:05
L32	99	L31 and(detect$3 or determining)and(pixel$1 or stick or group)same(object or area or region or specific adj region)	USPAT	OR	ON	2008/11/04 15:06
L33	0	L32 and pose adj estimat$3 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3)same(area or regions)and identificat$3 and (fiducials or marks or dots)and(classification or classif $3)same pixel$1	USPAT	OR	ON	2008/11/04 15:08
L34	0	L32 and pose adj estimat$3 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3)and(area or regions)and identificat$3 and (fiducials or marks or dots)and(classification or classif $3)same pixel$1	USPAT	OR	ON	2008/11/04 15:08
L35	0	L32 and characteriz$3 and(object or area or region or specific adj region)and comput$3 adj moments and weight$3 adj table and unrectified	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 15:10

L36	0	L32 and pose adj estimat$3 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3)and(area or regions)and identificat$3 and (fiducials or marks or dots)and(classification or classif $3)same pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/11/04 15:11
L37	94	L32 and(@ad< "20030623" or @rlad< "20030623" or @prad< "20030623" or @ptad< "20030623")	USPAT	OR	ON	2008/11/04 15:11
L38	21	L37 and(raster or line)and scanning and horizontal and vertical	USPAT	OR	ON	2008/11/04 15:12
L39	6	L38 and luminance	USPAT	OR	ON	2008/11/04 15:12
L40	1	L39 and chrominance	USPAT	OR	ON	2008/11/04 15:12
L41	0	L40 and SIMD	USPAT	OR	ON	2008/11/04 15:13
L42	0	L40 and(compar$5 or match$3 or combined)and (subareas or subdivision or sub adj division or segment $5 or split$4 or divid$3)same(area or regions)	USPAT	OR	ON	2008/11/04 15:13
L43	0	L40 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3)same(pixel $1 or stick or group)and contains and two adj pixel$1	USPAT	OR	ON	2008/11/04 15:18
L44	0	L40 and characteriz$3 and(object or area or region or specific adj region)and comput$3 adj moments and weight$3 adj table and unrectified	USPAT	OR	ON	2008/11/04 15:21
L45	1086	600/427,429,439.CCLS.	USPAT	OR	ON	2008/11/04 15:22
L46	25	L45 and(pixel$1 or stick or group)and(plurality or plural $1 or sets)and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3) and(classification or classif$3 or classified)	USPAT	OR	ON	2008/11/04 15:22
L47	3	L46 and(area or regions)and pixel$1 adj(classification or classif$3)	USPAT	OR	ON	2008/11/04 15:22

L48	14	L46 and(detect$3 or determining)and(pixel$1 or stick or group)same(object or area or region or specific adj region)	USPAT	OR	ON	2008/11/04 15:23
L49	0	L14 and(raster or line)and scanning and horizontal and vertical	USPAT	OR	ON	2008/11/04 15:23
L50	9	L48 and(compar$5 or match$3 or combined)and (subareas or subdivision or sub adj division or segment $5 or split$4 or divid$3)same(area or regions)	USPAT	OR	ON	2008/11/04 15:24
L51	0	L50 and luminance	USPAT	OR	ON	2008/11/04 15:25
L52	0	L50 and chrominance	USPAT	OR	ON	2008/11/04 15:25
L53	0	L50 and characteriz$3 and(object or area or region or specific adj region)and comput$3 adj moments and weight$3 adj table and unrectified	USPAT	OR	ON	2008/11/04 15:25
L54	9	L50 and(@ad< "20030623" or @rlad< "20030623" or @prad< "20030623" or @ptad< "20030623")	USPAT	OR	ON	2008/11/04 15:26
L55	9	L50 and @ad< "20030623"	USPAT	OR	ON	2008/11/04 15:26
L56	0	L55 and pose adj estimat$3 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3)and(area or regions)and identificat$3 and (fiducials or marks or dots)and(classification or classif $3)same pixel$1	USPAT	OR	ON	2008/11/04 15:30
L57	956	385/49.ccls.	USPAT	OR	ON	2008/11/04 15:31
L58	5	L57 and(pixel$1 or stick or group)and(plurality or plural $1 or sets)and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3) and(classification or classif$3 or classified)	USPAT	OR	ON	2008/11/04 15:31
L59	0	L58 and(area or regions)and pixel$1 adj(classification or classif$3)	USPAT	OR	ON	2008/11/04 15:31

L60	1	L58 and(detect$3 or determining)and(pixel$1 or stick or group)same(object or area or region or specific adj region)	USPAT	OR	ON	2008/11/04 15:32
L61	0	L60 and(raster or line)and scanning and horizontal and vertical	USPAT	OR	ON	2008/11/04 15:32
L62	1	L55 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3)same(pixel $1 or stick or group)and contains and two adj pixel$1	USPAT	OR	ON	2008/11/04 15:33
L63	0	L60 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3)same(pixel $1 or stick or group)and contains and two adj pixel$1	USPAT	OR	ON	2008/11/04 15:36
L64	775	606/130.ccls.	USPAT	OR	ON	2008/11/04 15:36
L65	9	L64 and(pixel$1 or stick or group)and(plurality or plural $1 or sets)and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3) and(classification or classif$3 or classified)	USPAT	OR	ON	2008/11/04 15:36
L66	0	L65 and(area or regions)and pixel$1 adj(classification or classif$3)	USPAT	OR	ON	2008/11/04 15:37
L67	3	L65 and(detect$3 or determining)and(pixel$1 or stick or group)same(object or area or region or specific adj region)	USPAT	OR	ON	2008/11/04 15:37
L68	0	L67 and(raster or line)and scanning and horizontal and vertical	USPAT	OR	ON	2008/11/04 15:37
L69	0	L67 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3)same(pixel $1 or stick or group)and contains and two adj pixel$1	USPAT	OR	ON	2008/11/04 15:37
L70	0	L67 and pose adj estimat$3 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3)and(area or regions)and identificat$3 and (fiducials or marks or dots)and(classification or classif $3)same pixel$1	USPAT	OR	ON	2008/11/04 15:38

L71	0	L67 and characteriz$3 and(object or area or region or specific adj region)and comput$3 adj moments and weight$3 adj table and unrectified	USPAT	OR	ON	2008/11/04 15:38
L72	1548	250/282.ccls.	USPAT	OR	ON	2008/11/04 15:39
L73	40	L72 and(pixel$1 or stick or group)and(plurality or plural $1 or sets)and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3) and(classification or classif$3 or classified)	USPAT	OR	ON	2008/11/04 15:39
L74	0	L73 and(area or regions)and pixel$1 adj(classification or classif$3)	USPAT	OR	ON	2008/11/04 15:39
L75	0	L73 and pose adj estimat$3 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3)and(area or regions)and identificat$3 and (fiducials or marks or dots)and(classification or classif $3)same pixel$1	USPAT	OR	ON	2008/11/04 15:40
L76	0	L73 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3)same(pixel $1 or stick or group)and contains and two adj pixel$1	USPAT	OR	ON	2008/11/04 15:40
L77	3	L73 and(raster or line)and scanning and horizontal and vertical	USPAT	OR	ON	2008/11/04 15:40
L78	267	438/39.ccls.	USPAT	OR	ON	2008/11/04 15:41
L79	0	L78 and(pixel$1 or stick or group)and(plurality or plural $1 or sets)and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3) and(classification or classif$3 or classified)	USPAT	OR	ON	2008/11/04 15:41
L80	0	L78 and(area or regions)and pixel$1 adj(classification or classif$3)	USPAT	OR	ON	2008/11/04 15:41
L81	0	L78 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3)same(pixel $1 or stick or group)and contains and two adj pixel$1	USPAT	OR	ON	2008/11/04 15:42

L82	0	L78 and characteriz$3 and(object or area or region or specific adj region)and comput$3 adj moments and weight$3 adj table and unrectified	USPAT	OR	ON	2008/11/04 15:42
L83	3	L78 and(raster or line)and scanning and horizontal and vertical	USPAT	OR	ON	2008/11/04 15:42
L84	0	L83 and(classification or classif$3 or classified)and (object or area or region or specific adj region or sets) and(pixel$1 or stick or group)	USPAT	OR	ON	2008/11/04 15:43
L85	706	125/13.01.ccls.	USPAT	OR	ON	2008/11/04 15:43
L86	5	L85 and(pixel$1 or stick or group)and(plurality or plural $1 or sets)and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3) and(classification or classif$3 or classified)	USPAT	OR	ON	2008/11/04 15:44
L87	0	L86 and(area or regions)and pixel$1 adj(classification or classif$3)	USPAT	OR	ON	2008/11/04 15:44
L88	0	L86 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3)same(pixel $1 or stick or group)and contains and two adj pixel$1	USPAT	OR	ON	2008/11/04 15:44
L89	0	L86 and characteriz$3 and(object or area or region or specific adj region)and comput$3 adj moments and weight$3 adj table and unrectified	USPAT	OR	ON	2008/11/04 15:44
L90	2426	257/E21.599,797,E23.179.ccls.	USPAT	OR	ON	2008/11/04 15:45
L91	51	L90 and(pixel$1 or stick or group)and(plurality or plural $1 or sets)and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3) and(classification or classif$3 or classified)	USPAT	OR	ON	2008/11/04 15:45
L92	0	L91 and(area or regions)and pixel$1 adj(classification or classif$3)	USPAT	OR	ON	2008/11/04 15:45
L93	0	L91 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3)same(pixel $1 or stick or group)and contains and two adj pixel$1	USPAT	OR	ON	2008/11/04 15:46

L94	0	L91 and pose adj estimat$3 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3)and(area or regions)and identificat$3 and (fiducials or marks or dots)and(classification or classif $3)same pixel$1	USPAT	OR	ON	2008/11/04 15:46
L95	18	L91 and(detect$3 or determining)and(pixel$1 or stick or group)same(object or area or region or specific adj region)	USPAT	OR	ON	2008/11/04 15:46
L96	18	L95 and(classification or classif$3 or classified)and (object or area or region or specific adj region or sets) and(pixel$1 or stick or group)	USPAT	OR	ON	2008/11/04 15:47
L97	0	L96 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3)same(pixel $1 or stick or group)and contains and two adj pixel$1	USPAT	OR	ON	2008/11/04 15:48
L98	11	L96 and(raster or line)and scanning and horizontal and vertical	USPAT	OR	ON	2008/11/04 15:48
L99	0	(((pixel$1 or stick or group)and(plurality or plural$1 or sets)and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3)and (classification or classif$3 or classified)and characteriz $3 and(object or area or region or specific adj region) and comput$3 and moments and weight$3 adj table and unrectified)and two adj pixel$1).clm.	USPAT	OR	ON	2008/11/04 15:55
S1	21	(subareas or subdivision or sub adj division or segment $5 or split$4 or divid$3)and pixel$1 and image$1 adj analysis and identificat$3 adj(fiducials or marks or dots) and(classification or classif$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 16:19
S2	0	(subareas or subdivision or sub adj division or segment $5 or split$4 or divid$3)and pixel$1 and image$1 adj analysis and identificat$3 adj(fiducials or marks or dots) and identificat$3 and(classification or classif$3)and raster adj scanning and horizontal and vertical and image and moments and (detect$3 or determining) same pose adj camera and location and orientation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 15:14

S3	0	identificat$3 adj(fiducials or marks or dots)and (subareas or subdivision or sub adj division or segment $5 or split$4 or divid$3)and pixel$1 and (classification or classif$3)and raster adj scanning and horizontal and vertical and(detect$3 or determining)and pose adj camera and location and orientation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 15:15
S4	0	S1 and binary adj(classification or classif$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 15:19
S5	20	S1 and(@ad<"20030623" or @rlad<"20030623" or @prad<"20030623" or @ptad<"20030623")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:24
S6	14	S1 and @ad<"20030623"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:44
S7	0	identificat$3 adj(fiducials or marks or dots)same object adj extract$3 and location and orientation and (subareas or subdivision or sub adj division or segment $5 or split$4 or divid$3)and(area or regions)and pose adj estimat$3 and pixel$1 adj(classification or classif $3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:45
S8	0	identificat$3 adj(fiducials or marks or dots)and object adj extract$3 and location and orientation and (subareas or subdivision or sub adj division or segment $5 or split$4 or divid$3)and(area or regions)and pose adj estimat$3 and pixel$1 and(classification or classif $3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 16:12

S9	0	identificat$3 adj(fiducials or marks or dots)and object adj extract$3 and location and orientation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 16:12
S10	38	object adj identificat$3 and(fiducials or marks or dots) and object adj extract$3 and location and orientation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 16:13
S11	34	S10 and object and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3)and pixel$1 and(classification or classif$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 16:14
S12	90	((("(20040258306") or ("20040258314") or ("6765569") or ("20020191862") or ("20060002631") or ("20060219953") or ("6424734") or ("5995214") or ("20040239756") or ("5578899") or ("5730113") or ("5733708") or ("5865163") or ("5942805") or ("6001703") or ("6144875") or ("6244076") or ("6367289") or ("6501981") or ("6625357") or ("6933536") or ("6975896") or ("7064318") or ("20010004839") or ("20020109843") or ("20020119588") or ("20030044120") or ("20030120141") or ("20030125622") or ("20030220559") or ("20040048404") or ("20040092815") or ("20050045815") or ("20050129296") or ("20050182319") or ("20060002630") or ("20060074292") or ("6993177") or ("5042843") or ("5337151") or ("5418865") or ("5483606") or ("5500906") or ("5572601") or ("6266453") or ("6434264") or ("6477266") or ("6625299") or ("7127082") or ("7162054") or ("). pn.")).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/03 16:16

S13	0	S12 and S1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 16:17
S14	0	S12 and S10	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 16:17
S15	67	S12 and @ad< "20030623"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 16:17
S16	0	S15 and object adj extract$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 16:18
S17	0	S15 and identify$3 adj object	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 16:18
S18	0	S15 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3)and pixel$1 and image $1 adj analysis and identificat$3 adj(fiducials or marks or dots)and(classification or classif$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 16:19
S19	1	S15 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3)and(area or regions) and identificat$3 and(fiducials or marks or dots)and (classification or classif$3)same pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:37

S20	0	S19 and raster adj scanning and horizontal and vertical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:18
S21	0	S19 and raster and scanning and horizontal and vertical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 16:45
S22	0	S19 and scanning and horizontal and vertical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 16:46
S23	0	S19 and scanning	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 16:46
S24	0	S19 and scanning	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 16:47
S25	1	S19 and vectors	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 16:47
S26	1	S25 and single	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 16:47

S27	0	S25 and single adj line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:18
S28	1	S25 and (colour or colur)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:18
S29	0	S28 and luminance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:43
S30	0	S28 and chrominance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:19
S31	1	S28 and(compar$5 or match$3 or combined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:19
S32	1	S31 and threshold$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:19
S33	0	S32 and(area or regions)and pose adj estimat$3 and pixel$1 adj(classification or classif$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 16:54

S34	1	S32 and(area or regions)and pixel$1 adj(classification or classif$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 16:54
S35	1	S32 and(area or regions)and pixel$1 adj(classification or classif$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 16:54
S36	0	S6 and raster adj scanning and horizontal and vertical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:18
S37	7	S6 and (raster or line)and scanning and horizontal and vertical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:53
S38	0	S37 and single adj line	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:18
S39	7	S37 and (colour or colur)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:43
S40	0	S39 and luminance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:53

S41	0	S39 and chrominance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:46
S42	7	S39 and(compar$5 or match$3 or combined)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:42
S43	0	S42 and threshold$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:19
S44	14	((ROY) near2 (HASHIMOTO)).INV.	US-PGPUB; USPAT	OR	ON	2007/06/03 17:21
S45	0	S1 and S44	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:22
S46	2	S44 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3)and(area or regions) and identificat$3 and(fiducials or marks or dots)and (classification or classif$3)and pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:36
S47	0	S46 and(@ad<"20030623" or @rlad<"20030623" or @prad<"20030623" or @ptad<"20030623")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:24

S48	2	S46 and SIMD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:38
S49	5339	(subareas or subdivision or sub adj division or segment $5 or split$4 or divid$3)and(area or regions)and identificat$3 and(fiducials or marks or dots)and (classification or classif$3)and pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:36
S50	15	pose adj estimat$3 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3)and (area or regions)and identificat$3 and(fiducials or marks or dots)and(classification or classif$3)same pixel $1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:41
S51	2	S50 and SIMD	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:40
S52	11	pose adj estimat$3 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3)same (area or regions)and identificat$3 and(fiducials or marks or dots)and(classification or classif$3)same pixel $1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:50
S53	11	S52 and(compar$5 or match$3 or combined)and (subareas or subdivision or sub adj division or segment $5 or split$4 or divid$3)same(area or regions)and (classification or classif$3)same pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:55
S54	11	S53 and (colour or color)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:46

S55	2	S54 and luminance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:46
S56	2	S55 and luminance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:44
S57	0	S56 and @ad< "20030623"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:46
S58	0	identificat$3 adj(fiducials or marks or dots)same object adj extract$3 same locat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:51
S59	3	identificat$3 adj(fiducials or marks or dots)and object adj extract$3 and locat$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:45
S60	1	S59 and @ad< "20030623"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:52
S61	1	S60 and (colour or colur)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:47

S62	0	S61 and luminance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:54
S63	0	S61 and chrominance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:46
S64	0	S61 and pose adj estimat$3 and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3)same(area or regions)and identificat$3 and (fiducials or marks or dots)and(classification or classif $3)same pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:47
S65	31	pose adj estimat$3 and (CCD or camera or sensor$1 or detector$1)and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3)same(area or regions)and identificat$3 and(fiducials or marks or dots)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:51
S66	3	S65 and object adj extract$3 and locat$3 and orientat $3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:52
S67	1	S66 and @ad< "20030623"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:54
S68	0	S67 and luminance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:53

S69	0	S67 and (raster or line)and scanning and horizontal and vertical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:53
S70	4	S65 and (raster or line)and scanning and horizontal and vertical	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:53
S71	0	S69 and luminance	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:54
S72	4	S70 and @ad< "20030623"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:54
S73	0	S72 and(compar$5 or match$3 or combined)and (subareas or subdivision or sub adj division or segment $5 or split$4 or divid$3)same(area or regions)and (classification or classif$3)same pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:56
S74	4	S72 and(compar$5 or match$3 or combined)and (subareas or subdivision or sub adj division or segment $5 or split$4 or divid$3)same(area or regions)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 18:05
S75	0	S74 and(area or regions)and(classification or classif$3) and pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:57

S76	0	S74 and(classification or classif$3)and pixel$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/03 17:57
S77	41	object adj identificat$3 and(fiducials or marks or dots) and object adj extract$3 and location and orientation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 09:24
S78	12	S77 and object and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3) same(pixel$1 or stick or group)and(classification or classif$3 or classified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 09:29
S79	12	S77 and (object or area or region)and(subareas or subdivision or sub adj division or segment$5 or split$4 or divid$3 or partit$3)same(pixel$1 or stick or group) and(classification or classif$3 or classified)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 09:29
S80	12	S79 and (detect$3 or determining)and(pixel$1 or stick or group)and(object or area or region)same (plurality or plural$1 or sets)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 09:31
S81	0	S80 and(pixel$1 or stick or group)same(raster adj line or scann$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 09:34
S82	9	S80 and(pixel$1 or stick or group)and(raster adj line or scann$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 09:35

S83	4	S82 and @ad< "20030623"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 09:35
S84	1	S79 and (detect$3 or determining)and(pixel$1 or stick or group)same(object or area or region)same(plurality or plural$1 or sets)same specific same(area or region)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 10:54
S85	1	S80 and (detect$3 or determining)and(pixel$1 or stick or group)same(object or area or region)same(plurality or plural$1 or sets)same specific same(area or region)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 10:54
S86	0	S85 and @ad< "20030623"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/28 10:55

11/4/08 3:55:48 PM
C:\ Documents and Settings\ SChawan\ My Documents\ EAST\ Workspaces\ 2996.wsp